







Optional Equipment List

LOG OF REVISIONS

M-9-235

REV .	DATE REV. SUBMITTED	TO PAGES	DESCRIPTION	APPROVAL AND DATE
I.R.	2/16/12	All	Initial Revision	 DATE: <u> </u> <u> </u> 9 2012
1	4/18/13	7	United Instruments Rate of Climb part numbers corrected to read 70340 and 7040.	 DATE: <u> </u> <u> </u> 30 2013
2	8/19/13	7	Added Sigma TEK IU262-006-45DG.	 <u> </u> <u> </u> 10 2014
3	9/13/13	8	Added Narco AR-850 Reporting Altimeter.	 <u> </u> <u> </u> 10 2014

Optional Equipment List Contents Page

1.	<u>ANTI-COLLISION LIGHTS</u>		F.	Wheel Fairings	9
	A. Landing Light Pulsar	2	G.	Radar Altimeter	10
2.	<u>COMMUNICATION AND NAVIGATION EQUIPMENT</u>		H.	Auxiliary Heater	10
	A. Comm/NAV Transceivers	2	I.	Storm Scope	10
	B. Communication Transceivers	2	J.	Strike Finder	10
	C. Radio Power Supply	2	K.	Avionics Cooling Kit	10
	D. Navigation (VOR) Receivers	2	L.	Diplexer/Triplexer	10
	E. VOR Indicators	2	M.	Aft Float Attachment	10
	F. VOR/LOC Converter	3	N.	Optional Jump Seat	10
	G. Automatic Direction Finders	3			
	H. ADF Indicators	3			
	I. Glide Slope and Marker Receivers	3			
	J. Transponders	3			
	K. Distance Measuring Equipment	3			
	L. Marker Lights	4			
	M. Audio Control Panels	4			
	N. Isolation Audio Amplifier	4			
	O. Antenna	4			
	P. Microphones	5			
	Q. Speakers	5			
	R. Area Navigation Systems	5			
	S. Push to Talk Switches	5			
	T. Transcom Systems	5			
	U. Stereocom Systems	6			
	V. Course Deviation Indicator (CDI)	6			
	W. Nav Converter	6			
	X. GPS/NAV SW/Annunciator	6			
	Y. Horizontal Situation Indicator (HSI)	6			
	Z. Voltage Converter	6			
3.	<u>VACUUM SYSTEM</u>				
	A. Dry Air Pump	6			
	B. Vacuum Regulator	6			
	C. Air Filter	6			
	D. Vacuum Gauge	7			
4.	<u>VACUUM INSTRUMENTS</u>				
	A. Directional Gyro	7			
	B. Artificial Horizon	7			
5.	<u>FLIGHT INSTRUMENTS</u>				
	A. Rate of Climb (Recip)	7			
	B. Turn and Bank/Turn Coordinator	7			
	C. Reporting Altimeter (Encoder)	7			
	D. Alternate Static System	8			
6.	<u>ACCESSORY INSTRUMENTS</u>				
	A. Exhaust Gas Temp. Kit (EGT)	8			
	B. Clock	8			
	C. Outside Air Temperature Gauge	9			
	D. Hourmeter	9			
	E. Fuel Flow Meter	9			
7.	<u>ACCESSORIES</u>				
	A. Heated Pitot	9			
	B. Fire Extinguisher	9			
	C. Landing Light	9			
	D. Floatplane Reinforcement	9			
	E. Glider Tow Hitch	9			

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO. WEIGHT (Lbs) ARM (Ins)

1. ANTI-COLLISION LIGHTS

Note: For Items that do not have weight and arm included, weigh item(s) and measure arm before installing. (Datum: Wing Leading Edge.)

A. LANDING LIGHT PULSER

1.	Precise Flight, Inc.		
<input type="checkbox"/>	a. 1210/2405-2	.8	-9.0

2. COMMUNICATION AND NAVIGATION EQUIPMENT

A. COMM/NAV TRANSCEIVERS

1.	King		
<input type="checkbox"/>	a. KX 125	4.0	-5.0
<input type="checkbox"/>	b. KX 145	3.8	-3.9
<input type="checkbox"/>	c. KX 155	5.0	-5.0
<input type="checkbox"/>	d. KX 165	5.0	-5.0
<input type="checkbox"/>	e. KX 170B	7.1	-5.5
<input type="checkbox"/>	f. KX 175B	7.1	-5.5

2.	II Morrow		
<input type="checkbox"/>	a. Apollo SL30 (Maule Dwg 7245A)	2.8	

B. COMMUNICATION TRANSCEIVER

1.	Collins		
<input type="checkbox"/>	a. VHF-251	3.8	-6.0

2.	King		
<input type="checkbox"/>	a. KY-92		
<input type="checkbox"/>	b. KT-96		
<input type="checkbox"/>	c. KY-195B		
<input type="checkbox"/>	d. KY-197		

3.	Garmin		
<input type="checkbox"/>	a. SL40 (VHF Com)	2.1	-5.3

C. RADIO POWER SUPPLY

1.	King		
<input type="checkbox"/>	a. KS-5-5	3.3	16.5

2.	Collins		
<input type="checkbox"/>	a. PWC-150	1.5	

D. NAVIGATION (VOR) RECEIVERS

2.	Collins		
<input type="checkbox"/>	a. VIR-351	3.1	-5.5
<input type="checkbox"/>	b. VIR-350		

E. VOR INDICATORS

1.	King		
<input type="checkbox"/>	a. KI-203		
<input type="checkbox"/>	b. KI-204		
<input type="checkbox"/>	c. KI-205		
<input type="checkbox"/>	d. KI-206		
<input type="checkbox"/>	e. KI-207		
<input type="checkbox"/>	f. KI-208		
<input type="checkbox"/>	g. KI-209		
<input type="checkbox"/>	h. KI-201C		
<input type="checkbox"/>	i. KI-214		
<input type="checkbox"/>	j. KI-226		
<input type="checkbox"/>	k. KNI-520-01		
<input type="checkbox"/>	l. KI-521		
<input type="checkbox"/>	m. KI-211		

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO.	WEIGHT (Lbs)	ARM (Ins)
<input type="checkbox"/> n. KI-212		
2. Collins		
<input type="checkbox"/> a. IND-350		
<input type="checkbox"/> b. IND-351		
<input type="checkbox"/> c. IND-351C		
F. VOR/LOC CONVERTER		
1. King		
<input type="checkbox"/> a. KN 72		
G. AUTOMATIC DIRECTION FINDERS		
1. King		
<input type="checkbox"/> a. KR 85	5.1	-3.2
<input type="checkbox"/> b. KR 86	3.9	-4.0
<input type="checkbox"/> c. KR 87		
2. Collins		
<input type="checkbox"/> a. RCR-650	2.3	-4.2
<input type="checkbox"/> b. ADA-650		
H. ADF INDICATORS		
1. Collins		
<input type="checkbox"/> a. IND-650	.6	-1.7
2. King		
<input type="checkbox"/> a. KI 225		
<input type="checkbox"/> b. KI 227		
I. GLIDE SLOPE AND MARKER RECEIVERS		
1. King		
<input type="checkbox"/> a. KR 21		
<input type="checkbox"/> b. KN 73		
<input type="checkbox"/> c. KN 75		
<input type="checkbox"/> d. KA 40		
<input type="checkbox"/> e. KR 22		
2. Collins		
<input type="checkbox"/> a. MKR-350	.7	-2.0
<input type="checkbox"/> b. GLS-350	.3	-5.3
J. TRANSPONDERS		
1. Bendix/King		
<input type="checkbox"/> a. KT 76/76A (Maule Dwg 7091A)	3.0	-5.0
<input type="checkbox"/> b. KT 78/78A	3.0	-5.0
<input type="checkbox"/> c. KT 76C (Maule Dwg 7211A)	2.4	-5.0
2. Collins		
<input type="checkbox"/> a. TDR-950	2.0	-5.0
3. Garmin		
<input type="checkbox"/> a. GTX-327 (Maule Dwg 7227A)	2.2	-3.6
<input type="checkbox"/> b. GTX-330 (Maule Dwg 7255A)	4.2	
K. DISTANCE MEASURING EQUIPMENT		
1. King		
<input type="checkbox"/> a. KN 61		
<input type="checkbox"/> b. KN 62/62A/64	2.6	-5.3
<input type="checkbox"/> c. KN 65/65A		
<input type="checkbox"/> d. KN 63		

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO.	WEIGHT (Lbs)	ARM (Ins)
L. MARKER LIGHTS		
1. King		
<input type="checkbox"/> a. KA 40		
2. Collins		
<input type="checkbox"/> a. MKL-350	.3	-0.2
M. AUDIO CONTROL PANELS		
1. King		
<input type="checkbox"/> a. KMA 20-03	2.3	
<input type="checkbox"/> b. KMA 20-04	2.3	
<input type="checkbox"/> c. KMA 24	1.7	-2.6
<input type="checkbox"/> d. KA 134		
2. Collins		
<input type="checkbox"/> a. AUD-250/250D	1.5	-2.8
<input type="checkbox"/> b. AMR-350/350H	1.8	-2.9
3. PS Engineering		
<input type="checkbox"/> a. PM1000II (Maule Dwg 7217A)	.8	-2.8
<input type="checkbox"/> b. PMA6000M (Maule Dwg 7221A)	.8	-3.4
<input type="checkbox"/> c. PMA7000S (M-S)(B)/Apollo SL15M (Maule Dwg 7223A)	1.5	-3.4
<input type="checkbox"/> d. PMA6000M-S (Maule Dwg 7233A)	.8	-3.4
<input type="checkbox"/> e. PMA7000B (Maule Dwg 7223A)		-3.4
<input type="checkbox"/> f. PMA7000S-CD (Maule Dwg 7267A)		-3.4
<input type="checkbox"/> g. PMA7000MS-CD (Maule Dwg 7267A)		-3.4
<input type="checkbox"/> h. PMA8000B (Maule Dwg 7223A)	1.3	-3.4
N. ISOLATION AUDIO AMPLIFIER		
1. King		
<input type="checkbox"/> a. KA 25A	1.3	
O. ANTENNA		
1. Collins		
<input type="checkbox"/> a. ANT-251	.8	
<input type="checkbox"/> b. ANT-650	2.3	
2. Meridian Electronics		
<input type="checkbox"/> a. MB-5	.9	95.0
<input type="checkbox"/> b. MB-7	.9	95.0
<input type="checkbox"/> c. BB-9	.4	7.0
<input type="checkbox"/> d. BB-16	.3	45.8
<input type="checkbox"/> e. 354	.6	.0
<input type="checkbox"/> f. M809	.4	160.0
<input type="checkbox"/> g. VHF-1	.2	7.0
3. Maule		
<input type="checkbox"/> a. Sense Antenna 7030B	.2	7.0
<input type="checkbox"/> b. Apollo A-33 Kit (Maule Dwg 7193A) (For Apollo GX60)		
4. King/Honeywell		
<input type="checkbox"/> a. KA 22	<input type="checkbox"/> d. KA 42	<input type="checkbox"/> g. KA 48
<input type="checkbox"/> b. KA 23	<input type="checkbox"/> e. KA 42B	<input type="checkbox"/> h. KA 60
<input type="checkbox"/> c. KA 32	<input type="checkbox"/> f. KA 44B	<input type="checkbox"/> i. KA 61
5. Comant		
<input type="checkbox"/> a. CI 121 SP (For Apollo I Rec.)	.9	43.0
<input type="checkbox"/> b. CI-102 (Marker Beacon Antenna)	1.0	72.0

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO. WEIGHT (Lbs) ARM (Ins)

6. **Garmin**

<input type="checkbox"/>	a.	011-00134-00	(Maule Dwg 7193A) (For Garmin GA-56)(Antenna only)		
<input type="checkbox"/>	b.	010-10040-01	(Maule Dwg 7193A) (For Garmin GA-56) (Kit p/n)		
<input type="checkbox"/>	c.	010-10160-00	(Maule Dwg 7285X) (For Transponder) (Kit p/n)	.2	-12.0
<input type="checkbox"/>	d.	013-00235-00	(Maule Dwg 7193A) (For Garmin GA-35) (Kit p/n)		

7. **R. A. Miller Industries, Inc.**

<input type="checkbox"/>	a.	AV-10			
--------------------------	----	-------	--	--	--

P. MICROPHONES

1. **Telex**

<input type="checkbox"/>	a.	66CRA			
<input type="checkbox"/>	b.	66T/66TRA			
<input type="checkbox"/>	c.	5 by 5 MARK II (Headset)			

Q. SPEAKERS

1. **Jensen**

<input type="checkbox"/>	a.	P5VA			29.3
<input type="checkbox"/>	b.	C7788-4			29.3

2. **Utah Electronics**

<input type="checkbox"/>	a.	A5C115			29.3
<input type="checkbox"/>	b.	A46FC			29.3

3. **Quam-Nichols**

<input type="checkbox"/>	a.	46C5FR		1.0	29.3
--------------------------	----	--------	--	-----	------

4. **MISCO (Minneapolis Speaker Company)**

<input type="checkbox"/>	a.	FC6S-4FR		4.8	29.3
--------------------------	----	----------	--	-----	------

R. AREA NAVIGATION SYSTEMS

1. **Bendix/King**

<input type="checkbox"/>	a.	KN 74			
<input type="checkbox"/>	b.	KNS-80		6.0	-6.0
<input type="checkbox"/>	c.	KLX-135A (GPS/COMM)	(Maule Dwg 7219A)	5.0	-5.2

2. **Collins**

<input type="checkbox"/>	a.	ANS 351			
--------------------------	----	---------	--	--	--

3. **SRD Labs**

<input type="checkbox"/>	a.	L-NAV 25 Loran C Nav System		3.2	-5.0
--------------------------	----	-----------------------------	--	-----	------

4. **Garmin**

<input type="checkbox"/>	a.	GNC 300		2.4	-2.8
<input type="checkbox"/>	b.	GNS-430	(GPS/NAV/COMM) (Maule Dwg 7205A)	6.5	-5.1
<input type="checkbox"/>	c.	GNC-420	(GPS /COMM) (Maule Dwg 7251A)	6.8	
<input type="checkbox"/>	d.	GNS-530	(GPS/NAV/COMM) (Maule Dwg 7253A)	8.5	
<input type="checkbox"/>	e.	GPS-400W	(GPS) (Maule Dwg 7260A)	5.0	-2.8
<input type="checkbox"/>	f.	GNC-420W	(GPS /COMM) (Maule Dwg 7260A)	5.5	
<input type="checkbox"/>	g.	GNS-430W	(GPS/NAV/COMM) (Maule Dwg 7260A)	6.2	-5.1
<input type="checkbox"/>	h.	GPS-500W	(GPS) (Maule Dwg 7261A)	6.8	-2.8
<input type="checkbox"/>	i.	GNS-530W	(GPS/NAV/COMM) (Maule Dwg 7261A)	8.2	-5.1

S. PUSH TO TALK SWITCHES

1. **Telex**

<input type="checkbox"/>	a.	PT-200			
--------------------------	----	--------	--	--	--

T. TRANSCOM SYSTEMS

1. **David Clark**

<input type="checkbox"/>	a.	ISOCOM Voice Activated		0.7	-3.0
--------------------------	----	------------------------	--	-----	------

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO.	WEIGHT (Lbs)	ARM (Ins)
2. Sigtronics <input type="checkbox"/> a. Transcom SPA-400	0.6	-2.0
U. STEREOCOM SYSTEMS		
1. Sigtronics' <input type="checkbox"/> a. Stereocom-400	0.5	-9.0
V. COURSE DEVIATION INDICATOR (CDI)		
1. Garmin <input type="checkbox"/> a. GI-102A/106A (per Maule Dwg 7215A and 7216A)	1.4	-1.9
2. II Morrow <input type="checkbox"/> a. MD200-302 (Maule Dwg 7241A)	2.4	
<input type="checkbox"/> b. MD200-303 (")	1.5	
<input type="checkbox"/> c. MD200-306 (")	2.4	
<input type="checkbox"/> d. MD200-307 (")	1.5	
W. NAV CONVERTER		
1. Century <input type="checkbox"/> a. 1C707-1	0.7	-15.1
X. GPS/NAV ANNUNCIATOR		
1. Garmin <input type="checkbox"/> a. 013-00029-10 (28V) or -11 (14V) (per Maule Dwg 7213A)	0.8	-2.0
2. II Morrow/Apollo <input type="checkbox"/> a. 430-6080-300 (28V) (Maule Dwg 7247A)	.5	
<input type="checkbox"/> b. 430-6080-100 (14V) (Maule Dwg 7247A)	.5	
Y. HORIZONTAL SITUATION INDICATOR (HIS)		
1. Century <input type="checkbox"/> a. NSD360A-15 (per Maule Dwg 7225A)	4.6	-4.3
Z. VOLTAGE CONVERTERS		
1. Garmin <input type="checkbox"/> a. 011-00181-00 (28V/14V) (per Maule Dwg 7229A-Converter only)	4.5	18.0
<input type="checkbox"/> b. 013-00051-00 (14V/28V) (per Maule Dwg 7231A)	2.3	18.0
<input type="checkbox"/> c. 010-10057-00 (28V/14V) (per Maule Dwg 7229A-Kit p/n)	4.5	18.0
3. VACUUM SYSTEM		
A. DRY AIR PUMP		
1. Airborne Mechanisms (Reciprocating engines only) <input type="checkbox"/> a. 211 CC	1.8	
2. Sigma-Tek (previously EDO-Aire) <input type="checkbox"/> a. IU128-002 (Reciprocating engines only)		
<input type="checkbox"/> b. IU128-003 (Reciprocating engines only)		
<input type="checkbox"/> c. IU128-006 (Reciprocating and Turbine engine)		
3. Aero Accessories <input type="checkbox"/> a. AA3215CC (Reciprocating engines only)	2.3	
B. VACUUM REGULATOR		
1. Aero Accessories <input type="checkbox"/> a. AA2H3-12	.4	-16.3
C. AIR FILTER		
1. Aero Accessories <input type="checkbox"/> a. AA1J7-1	.5	-14.2

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO.	WEIGHT (Lbs)	ARM (Ins)
D. VACUUM GAUGE		
1. UMA		
<input type="checkbox"/> a. 3-200-1	1.0	-0.8
<input type="checkbox"/> b. 3-200-12	1.0	-0.8
4. <u>VACUUM INSTRUMENTS</u>		
A. DIRECTIONAL GYRO		
1. RC Allen		
<input type="checkbox"/> a. RCA 11A-8	3.3	-2.8
2. Sigma TEK		
<input type="checkbox"/> a. IU262-006-45		
B. ARTIFICIAL HORIZON		
2. RC Allen		
<input type="checkbox"/> a. RCA 22-7	2.2	-2.3
5. <u>FLIGHT INSTRUMENTS</u>		
A. RATE OF CLIMB		
1. Aerosonic		
<input type="checkbox"/> a. 340-50	1.0	-2.0
<input type="checkbox"/> b. 340(340)-56-1210		
<input type="checkbox"/> c. RC30V10		
<input type="checkbox"/> d. 30840-0169		
2. United Instruments		
<input type="checkbox"/> a. 7030	1.0	-2.0
<input type="checkbox"/> b. 7040	1.0	-2.0
3. EDO-Aire		
<input type="checkbox"/> a. EA-1409-3Z	.8	-1.5
B. TURN AND BANK/TURN COORDINATOR		
1. Aerosonic		
<input type="checkbox"/> a. ANS-50	2.0	-3.0
<input type="checkbox"/> b. ANS-51 (28 volt system)	2.0	-3.0
2. RC Allen		
<input type="checkbox"/> a. A2475	2.4	-3.0
<input type="checkbox"/> b. A2670	2.4	-3.0
<input type="checkbox"/> c. RCA80A		
<input type="checkbox"/> d. 21500		
<input type="checkbox"/> e. RCA82A-1	1.3	-3.0
<input type="checkbox"/> f. RCA14W2D2A (14 volt system)		
<input type="checkbox"/> g. RCA28W2D2A (28 volt system)		
3. Mid-Continent Instrument Co.		
<input type="checkbox"/> a. 1394TIOO-7Z (Turn Coordinator)	1.2	-2.0
<input type="checkbox"/> b. 1394TIOO-7TZ (Turn and Bank)	1.2	-2.0
C. REPORTING ALTIMETER		
1. Aerosonic		
<input type="checkbox"/> a. 101420-(01249)	1.9	
<input type="checkbox"/> b. 101627-01340	1.4	
<input type="checkbox"/> c. 101627-01344	1.4	
<input type="checkbox"/> d. 101627-01696		
<input type="checkbox"/> e. 102200-01812		

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO. WEIGHT (Lbs) ARM (Ins)

2.	Smiths Industries		
<input type="checkbox"/>	a. 01-200-104		1.8
3.	King		
<input type="checkbox"/>	a. KEA 125-13		1.9
<input type="checkbox"/>	b. KEA 125-14		1.9
<input type="checkbox"/>	c. KEA 126-17		1.9
<input type="checkbox"/>	d. KEA 126-18		1.9
<input type="checkbox"/>	e. KEA 127		1.0
<input type="checkbox"/>	f. KEA 128		1.8 -2.5
<input type="checkbox"/>	g. KEA 129		1.8 -2.5
4.	United Instruments		
<input type="checkbox"/>	a. 5035P2-P39		1.8 -2.5
5.	Narco		
<input type="checkbox"/>	a. AR-850		.8 -3.1

D. ALTERNATE STATIC SYSTEM

1.	Maule		
<input type="checkbox"/>	a. 6075B		

6. ACCESSORY INSTRUMENTS

A. EXHAUST GAS TEMPERATURE KIT (EGT)

1.	Alcor Aviation		
<input type="checkbox"/>	a. 394-37-937 (EA 35 6PB)		
<input type="checkbox"/>	b. 394-37-946 (EGT-225)		
<input type="checkbox"/>	c. 46150		
<input type="checkbox"/>	d. 211-160-0		
<input type="checkbox"/>	e. 211-110-0		
2.	KS Avionics		
<input type="checkbox"/>	a. EGT-1 <i>(14/28 volts system)</i>		.3 -0.5
<input type="checkbox"/>	b. EGT-1LW <i>(14/28 volts system)</i>		
3.	Insight Instrument		
<input type="checkbox"/>	a. GEM-602	Instrument	.8 -3.3
		Probes & Wiring Harness	1.3 -40.0
4.	J. P. Instruments		
<input type="checkbox"/>	a. E.G.T. 701		.9 -3.5

B. CLOCK

1.	Elgin		
<input type="checkbox"/>	a. A-11		.3 -0.5
2.	Aerosonic		
<input type="checkbox"/>	a. 86200-0129		.3 -0.5
<input type="checkbox"/>	b. 86200-0126		.3 -0.5
<input type="checkbox"/>	c. 86200-0114		.3 -0.5
<input type="checkbox"/>	d. 86200-0115		.3 -0.5
<input type="checkbox"/>	e. Type C-13A-1		.3 -0.5
3.	Mitchell Aircraft Instruments		
<input type="checkbox"/>	a. 98470		
<input type="checkbox"/>	b. 035-370-021 <i>(14/28 volt system)</i>		.3 -1.0
<input type="checkbox"/>	c. 99500-ELT (DI-312-5038) <i>(14/28 volt system)</i>		.5 -1.0
<input type="checkbox"/>	d. D1-312-5036* <i>(14/28 volt system)</i>		.5 -1.0
<input type="checkbox"/>	e. D1-312-5036* <i>(14 volt system)</i>		.5 -1.0

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO.	WEIGHT (Lbs)	ARM (Ins)
<input type="checkbox"/> f. D1-312-5036 (14V w/adaptor p/n PE-211-2000 = 28 volt System) *See clock label for applicable voltage system.	.5	-1.0
4. Mid-Continent Instrument		
<input type="checkbox"/> a. MD-88	.4	-1.0
<input type="checkbox"/> b. MD-90() (14/28 volt system)	.4	-1.0
C. OUTSIDE AIR TEMPERATURE GAUGE		
1. Scott		
<input type="checkbox"/> a. 2716	.1	12.0
2. Ashcroft		
<input type="checkbox"/> a. NHM70	.1	12.0
3. Rochester		
<input type="checkbox"/> a. 1592-00027	.1	12.0
4. Piper		
<input type="checkbox"/> a. 550-541		
5. Dresser		
<input type="checkbox"/> a. 20 B160 R 000		
D. HOURMETER		
1. Maule		
<input type="checkbox"/> a. 6072B		
E. FUEL FLOW METER		
1. Shadin Co., Inc.		
<input type="checkbox"/> a. Miniflow-L	14.0	-2.5
<input type="checkbox"/> b. Microflow-L	14.0	-2.5

7. ACCESSORIES

A. HEATED PITOT		
1. Aero Instruments		
<input type="checkbox"/> a. PH-502-12 (14 volt system)	1.0	43.0
<input type="checkbox"/> b. PST-305-12 (14 volt system)	1.0	43.0
<input type="checkbox"/> c. PH-502 (28 volt system)	1.0	43.0
2. (Piper) AAP Cooper		
<input type="checkbox"/> a. 96392-006 (14 volt system)	1.0	43.0
<input type="checkbox"/> b. 96392-008 (28 volt system)	1.0	43.0
B. FIRE EXTINGUISHER		
1. Kidde		
<input type="checkbox"/> a. Type BC Size 1	4.5	8.1
2. Dual-Halon		
<input type="checkbox"/> a. Model RT-A600	2.0	8.1
<input type="checkbox"/> b. Model A-1600	4.3	8.1
C. LANDING LIGHT		
1. Maule		
<input type="checkbox"/> a. 9030E	1.0	5.0
D. FLOATPLANE REINFORCEMENT		
1. Maule		
<input type="checkbox"/> a. 9001F, Sht:1 (See Drawing for s/n effectivity)		
<input type="checkbox"/> b. 9001F, Sht:2 (includes forward reinforcement)		

OPTIONAL EQUIPMENT LIST

SERIAL NO. _____ REG. NO. _____ PROD. NO. _____

NOTE: Equipment items installed below are designated by check marks.

CATEGORY, MANUFACTURER AND PART OR MODEL NO.	WEIGHT (Lbs)	ARM (Ins)
E. GLIDER TOW HITCH		
1. Maule		
<input type="checkbox"/> a. 3196F <i>(For Tailwheel models only) (Schweizer & Tost)</i>	6.3/4.5	176.0
F. WHEEL FAIRINGS		
1. Maule		
<input type="checkbox"/> a. 4034B		
G. RADAR ALTIMETER		
1. King		
<input type="checkbox"/> a. KRA-10 Radar Alt	2.0	
H. AUXILIARY HEATER		
1. Maule <i>(TW Models w/Reciprocating engines only)</i>		
<input type="checkbox"/> a. 5310E	2.1	18.1
I. STORM SCOPE		
1. B.F. Goodrich		
<input type="checkbox"/> a. WX900	1.6	-3.7
J. STRIKE FINDER		
1. Insight		
<input type="checkbox"/> a. SF 2000	1.2	-4.7
K. AVIONICS COOLING KIT		
1. King		
<input type="checkbox"/> a. KA-33	1.1	-12.0
L. DIPLEXER/TRIPLEXER		
1. Meriden		
<input type="checkbox"/> a. NT-1A <i>(Triplexer)</i>	.2	-8.0
<input type="checkbox"/> b. NC-4 <i>(Diplexer)</i>	.3	-8.0
M. AFT FLOAT ATTACHMENT		
1. Maule		
<input type="checkbox"/> a. 1348E Plate (weld-on)	1.7	55.2
<input type="checkbox"/> b. 1350E Installation (not incl. 1348E) Float Attachment	3.0	55.2
N. OPTIONAL JUMP SEAT		
1. Maule		
<input type="checkbox"/> a. 1216B	8.8	70.0